

Refine Search

Search Results -

Terms	Documents
display and panel and (plurality adj mirror\$3 adj devices)	1

Database:

US Pre-Grant Publication Full-Text Database
 US Patents Full-Text Database
 US OCR Full-Text Database
 EPO Abstracts Database
 JPO Abstracts Database
 Derwent World Patents Index
 IBM Technical Disclosure Bulletins

Search:

L22

Refine Search

Recall Text

Clear

Interrupt

Search History

DATE: Tuesday, February 08, 2005 [Printable Copy](#) [Create Case](#)

<u>Set Name</u> side by side	<u>Query</u>	<u>Hit Count</u>	<u>Set Name</u> result set
	<i>DB=PGPB,USPT,USOC,EPAB,JPAB,DWPI,TDBD; PLUR=YES; OP=OR</i>		
<u>L22</u>	display and panel and (plurality adj mirror\$3 adj devices)	1	<u>L22</u>
<u>L21</u>	(current adj sources) and display and panel and (plurality adj mirror\$3 adj devices)	0	<u>L21</u>
<u>L20</u>	L16 and (plurality adj mirror\$3 adj devices)	0	<u>L20</u>
<u>L19</u>	L17 and ((changing or varying) near current)	11	<u>L19</u>
<u>L18</u>	L17 and brightness and ((changing or varying) near current)	0	<u>L18</u>
<u>L17</u>	L16 and (input adj transistor)	45	<u>L17</u>
<u>L16</u>	display and (driver or driving) and (first near2 (current adj source)) and (second near2 (current adj source)) and (current adj mirror\$3) and transistor	206	<u>L16</u>
<u>L15</u>	diplay and (driver or driving) and (first near2 (current adj source)) and (second near2 (current adj source)) and (current adj mirror\$3) and transistor	0	<u>L15</u>
<u>L14</u>	diplay and (driver or driving) and (first near2 (current adj source)) and (second near2 (current adj source)) and (current adj mirror\$3) and (input adj	0	<u>L14</u>

transistor)

DB=USPT; PLUR=YES; OP=OR

<u>L13</u>	5604449.pn.	1	<u>L13</u>
<u>L12</u>	6147665.pn.	1	<u>L12</u>
<u>L11</u>	6147665.pn.	1	<u>L11</u>
<u>L10</u>	6646481.pn.	1	<u>L10</u>
<i>DB=PGPB,USPT,USOC,EPAB,JPAB,DWPI,TDBD; PLUR=YES; OP=OR</i>			
<u>L9</u>	L8 and brightness and ((chang\$3 or vary\$3) near2 current)	6	<u>L9</u>
<u>L8</u>	L7 and (reference adj current)	51	<u>L8</u>
<u>L7</u>	L5 and transistors and switches	204	<u>L7</u>
<u>L6</u>	L5 and (diffusion adj layer)	3	<u>L6</u>
<u>L5</u>	L4 and (current adj mirror)	222	<u>L5</u>
<u>L4</u>	(liquid adj crystal adj (display or panel)) and (current near4 mirror\$3) and (driver or driving) and ((display adj data) or (digital adj signals)) and transistor	238	<u>L4</u>
<u>L3</u>	20030067345.pn.	2	<u>L3</u>
<u>L2</u>	20020145584.pn.	2	<u>L2</u>
<u>L1</u>	6421034.pn.	2	<u>L1</u>

END OF SEARCH HISTORY

Refine Search

Search Results -

Terms	Documents
L8 and brightness and ((chang\$3 or vary\$3) near2 current)	6

Database:

US Pre-Grant Publication Full-Text Database
 US Patents Full-Text Database
 US OCR Full-Text Database
 EPO Abstracts Database
 JPO Abstracts Database
 Derwent World Patents Index
 IBM Technical Disclosure Bulletins

Search:

L9

Refine Search

Recall Text

Clear

Interrupt

Search History

DATE: Tuesday, February 08, 2005 [Printable Copy](#) [Create Case](#)

<u>Set</u> <u>Name</u>	<u>Query</u>	<u>Hit</u> <u>Count</u>	<u>Set</u> <u>Name</u> result set
<i>DB=PGPB,USPT,USOC,EPAB,JPAB,DWPI,TDBD; PLUR=YES; OP=OR</i>			
<u>L9</u>	L8 and brightness and ((chang\$3 or vary\$3) near2 current)	6	<u>L9</u>
<u>L8</u>	L7 and (reference adj current)	51	<u>L8</u>
<u>L7</u>	L5 and transistors and switches	204	<u>L7</u>
<u>L6</u>	L5 and (diffusion adj layer)	3	<u>L6</u>
<u>L5</u>	L4 and (current adj mirror)	222	<u>L5</u>
<u>L4</u>	(liquid adj crystal adj (display or panel)) and (current near4 mirror\$3) and (driver or driving) and ((display adj data) or (digital adj signals)) and transistor	238	<u>L4</u>
<u>L3</u>	20030067345.pn.	2	<u>L3</u>
<u>L2</u>	20020145584.pn.	2	<u>L2</u>
<u>L1</u>	6421034.pn.	2	<u>L1</u>

END OF SEARCH HISTORY